

# Evaluation Feedback use of BEWI Smart Protector

## 1. Your e-mail

## 2. Your role

- HSE                       Deck foreman  
 Company rep.            Other  
 Toolpusher

## 3. Date

## 4. Company

## 5. Location

## 6. Tubular size

- 5" – Pin & Box            4 ½" Tbg            9 5/8" Csg  
 5 ½" – Pin & Box        5 ½" Tbg            10 3/4" Csg  
 5" DP                        7" Tbg                13 3/8" Csg  
 5 ½" DP

## 7. Number of jnt's



## KPI

### 8. RIH - Removal time (seconds)

### 9. RIH - Mount time (seconds)

### 10. User friendliness

Bad     1    2    3    4    5    6    7    8    9    10    Great

### 11. Reduced time in red zone

- 0-5%
- 5-10%
- 10-20%
- 20-30%
- 30-40%
- 40-50%
- Over 50%

## Incidents

### 12. Observed water intrusion / pitting / mechanical damage


- Yes If yes, please send documentation to [QHSE@bewienergy.com](mailto:QHSE@bewienergy.com)
- No

### 13. Unwanted incident

- Yes If yes, please send documentation to [QHSE@bewienergy.com](mailto:QHSE@bewienergy.com)
- No

### 14. Safe cards related to BEWI Energy Protectors

- Yes If yes, please send documentation to [QHSE@bewienergy.com](mailto:QHSE@bewienergy.com)
- No



# Summary

## 15. Total delivery

	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Bad	1	2	3	4	5	6	7	8	9	10	Great

## 16. Input for improvements:

## 17. Overall evaluation:

Save this form, and send it to  
**[QHSE@bewienergy.com](mailto:QHSE@bewienergy.com)**

Please remember to attach documentation if there has been any incidents.

We appreciate your evaluation! Thank you for your time.

